



# NFRC FENESTRATION MANUFACTURER CERTIFICATE

**NFRC Manufacturer:** XYZ Company

Contact: Johnny Labeler

Phone: 301-589-1776

Address: 1234 Manufacturer Way

City: Greenbelt

State: MD

Zip Code: 20770

**Project / Location Information (Name Optional):**

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip Code: \_\_\_\_\_

<p align="center"><b>Series "2000"</b>            CPD #: XYZ-T-9            Vinyl Frame            Double Glazing • Argon Fill • Low E            Product Type: Vertical Slider            Quantity: 11</p>		<p align="center"><b>Series "3000"</b>            CPD #: XYZ-T-10            Vinyl Clad Wood Frame            Double Glazing • Argon Fill • Low E            Product Type: Casement            Quantity: 4</p>	
<b>ENERGY PERFORMANCE RATINGS</b>		<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S. / I-P) <b>0.35</b>	Solar Heat Gain Coefficient <b>0.32</b>	U-Factor (U.S. / I-P) <b>0.34</b>	Solar Heat Gain Coefficient <b>0.31</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>		<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visual Transmittance <b>0.51</b>	Air Leakage (U.S. / I-P) <b>0.2</b>	Visual Transmittance <b>0.52</b>	Air Leakage (U.S. / I-P) <b>0.1</b>
Condensation Resistance <b>51</b>		Condensation Resistance <b>54</b>	
<p align="center"><b>Series "4000"</b>            CPD #: XYZ-T-99            Vinyl Clad Wood Frame            Double Glazing • Argon Fill • Low E            Product Type: Sliding Glass Door            Quantity: 1</p>		<p align="center"><b>Series "5000"</b>            CPD #: XYZ-T-104            Aluminum Clad Wood Frame            Double Glazing • Argon Fill • Low E            Product Type: Fixed Window            Quantity: 3</p>	
<b>ENERGY PERFORMANCE RATINGS</b>		<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S. / I-P) <b>0.32</b>	Solar Heat Gain Coefficient <b>0.30</b>	U-Factor (U.S. / I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.29</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>		<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visual Transmittance <b>0.55</b>	Air Leakage (U.S. / I-P) <b>0.2</b>	Visual Transmittance <b>0.53</b>	Air Leakage (U.S. / I-P) <b>0.1</b>
Condensation Resistance <b>49</b>		Condensation Resistance <b>55</b>	

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. [www.nfrc.org](http://www.nfrc.org)

Use as many sheets as necessary for each project / location

Sheet 1 of 1